

**Reply Brief**

The examiner acknowledges the reply brief filed on 1/15/2008

**Amendments to the Examines Answer**

Please replace the evidence relied upon section with the following:

PL/SQL User's Guide and Reference, Release 2 (9.2), Published March 2002, Chapter 5, pages 1.51-55, Chapter 6 Pages 1-2, and Chapter 12 Pages 1-13. Known hereafter as [A].

Appellant's admitted prior art [AAPA] in the Background of appellant's specification conventional implementations of multi row aggregates using the RETURNING clause. Applicant has reproduced this section in pages 4-5 of the instant brief.

6,567,803

Filed 05/31/2000

Ramasamy

***Information Disclosure Statement***

Please see the attached IDS.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cory C. Bell whose telephone number is (571) 272 2736. The examiner can normally be reached on m-f 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Ronces can be reached on (571) 272 4085. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/C. C. B./  
Examiner, Art Unit 2164

/Sam Rimell/  
Primary Examiner, Art Unit 2164